


S.L.



CAST/DUCTILE IRON PRODUCTS





ABOUT US

Channel Win (H.K.) Ltd. is one of the major suppliers of construction material and underground drainage products in Hong Kong. We have been in this industry for more than five decades, specializing in manufacturing cast iron pipes, manhole covers, channel gratings, hot dip galvanized products, epoxy products, cast iron fittings, bronze and stainless steel products. We have involved in various construction projects in Hong Kong, mainland China and Macau.


To accommodate clients' ad hoc construction needs, Channel Win (H.K.) Ltd. has a warehouse of over 10,000 sq. feet in New Territories with sufficient level of stock. At Channel Win (H.K.) Ltd., it is always customers first and we are committed to provide our customers with quality products and outstanding services.

昌永(香港)有限公司是香港主要建材及地渠產品供應商之一，在行內已有超過五十年歷史，經銷水喉、渠務及建築行業使用的鑄造產品，專業經營臭氣管，壓力管，沙井蓋板、明渠梳冷、熱浸鋅產品、紅坭產品、生鐵配件、銅製件及不銹鋼產品。

為提供快捷的服務以迎合客人需要，本公司在新界增設萬多平方尺的倉庫，存貨充足。昌永秉承品種齊備，質量第一及客戶至上的宗旨，為顧客提供優良的服務。

S.L. BS437 生鐵承插膠圈鑄管


S.L. BS437 Cast iron spigot and socket pipes with flexible joint



Specification 規格 (mm x mm)	Pipe 管身		Socket 管套		Length 長度 L (mm)
	Internal diameter 內徑 D1 (mm)	Thickness 壁厚 T (mm)	Internal diameter 內徑 D2 (mm)	Depth 深度 P (mm)	
75x1830	75	7	113	76	1830
100x1830	100	7	138	76	1830
150x1830	150	9	188	90	1830
200x1830	200	10.5	242	105	1830
225x1830	225	10.5	265	103	1830
250x1830	250	11.5	294	105	1830
300x1830	298	11	342	112	1830

S.L. . BS4622 生鐵承插膠圈壓力鑄管

S.L. BS4622 Cast iron spigot and socket pressure pipes with flexible joint




Specification 規格 (mm x mm)	Pipe 管身		Socket 管套		Length 長度 L (mm)
	Internal diameter 內徑 D1 (mm)	Thickness 壁厚 T (mm)	Internal diameter 內徑 D2 (mm)	Depth 深度 P (mm)	
75x4000	75	8	113	80	4110
100x4000	100	8	139	90	4110
150x4000	150	9	189	100	4110
200x4000	200	9	240	100	4110
225x4000	225	9.5	265	100	4120
250x4000	250	10	293	103	4120
300x4000	298	11	345	110	4120
350x4000	348	12	398	120	4120
375x4000	373	13	421	120	4120
400x4000	398	13	448	124	4120
450x5000	448	14	498	129	5130
500x5000	497	15	553	130	5130
525x5000	522	15	572	130	5130
600x5000	596	17	654	136	5130
700x5000	696	17	756	142	5130

S.L. BS437 95°三叉

S.L. BS437 95° tee


Specification 規格	Dimensions 尺寸 (mm)							
	A	A1	a	b	c	d	d1	e
75x75	75	118	305	58	153	75	118	140
100x75	100	146	328	80	166	75	118	164
100x100	100	146	360	80	154	100	148	164
150x75	150	195	362	83	177	75	118	196
150x100	150	200	400	90	134	100	148	180
150x150	150	200	450	90	215	150	200	216
225x100	225	278	535	115	255	100	148	232
225x150	225	278	530	115	248	150	200	238
225x225	225	278	565	115	246	225	278	252
300x150	300	344	548	120	275	150	200	260
300x225	300	344	588	120	300	225	278	315
300x300	300	355	670	100	343	300	355	302



S.L. BS437 45°三叉

S.L. BS437 45° tee


Specification 規格	Dimensions 尺寸 (mm)							
	A	A1	a	b	c	d	d1	e
100x100	100	147	400	78	270	100	147	270
150x100	150	198	500	68	300	100	147	320
150x150	150	196	510	85	340	150	196	360
225x75	225	278	530	115	390	75	118	375
225x100	225	278	520	115	410	100	147	370
225x150	225	278	570	115	425	150	196	415
225x225	225	278	690	115	425	225	278	460
300x150	300	350	530	115	440	150	196	440
300x225	300	350	670	115	500	225	278	500
300x300	300	345	820	115	560	300	345	560



S.L. BS437 95° 邊

S.L. BS437 95° bend

Specification 規格	Dimensions 尺寸 (mm)				
	A	A1	a	b	c
75	75	115	128	55	160
100	100	136	160	75	170
150	150	190	200	90	190
225	225	276	235	115	285
300	300	345	318	100	318




Drawings are not drawn to scale. Please refer to actual products for design and dimensions. Dimensions other than listed can be custom made.
繪圖及尺寸只供參考，以實物為準；產品可按需要訂造。

S.L. BS437 45° 邊

S.L. BS437 45° bend


Specification 規格	Dimensions 尺寸 (mm)				
	A	A1	a	b	c
75	75	115	93	65	160
100	100	136	140	75	150
150	150	190	170	90	160
225	225	276	210	115	190
300	300	345	225	100	230



S.L. BS437 大灣邊

S.L. BS437 long radius bend


Specification 規格	Dimensions 尺寸 (mm)				
	A	A1	a	b	c
75	75	114	345	70	345
100	100	136	355	75	330
150	150	190	390	90	375
225	225	282	453	95	485
300	300	350	480	110	540



S.L. BS437 大灣邊 (600R 或以上)

S.L. BS437 long radius bend (700R or above)


Specification 規格	Dimensions 尺寸 (mm)				
	A	A1	a	b	c
100x700R	100	137	800	80	700
150x750R	150	190	720	85	780
225x600R	225	275	720	110	760
225x750R	225	276	850	110	850
225x800R	225	276	970	110	920
300x875R	300	355	925	120	1015



S.L. BS437 梳杰

S.L. BS437 socket


Specification 規格	Dimensions 尺寸 (mm)		
	a	b	c
75	80	103	100
100	100	142	135
150	150	195	150
200	200	245	164
225	230	275	173
250	250	300	176
300	300	360	207



S.L. BS437 刁士

S.L. BS437 reducer


Specification 規格	Dimensions 尺寸 (mm)			
	a	b	c	d
100x75	112	75	99	190
150x100	142	100	149	263
225x150	190	150	225	335
300x225	285	225	310	422



S.L. BS437 有掩短坭

S.L. BS437 inspection pipe with access door


Specification 規格	Dimensions 尺寸 (mm)			
	A	A1	a	b
100	100	146	320	80
150	150	198	365	980
225	225	278	535	115
300	300	344	530	120



S.L. BS437 P-trap with deep seal

S.L. BS437 深水 P 型隔氣


Specification 規格	Dimensions 尺寸 (mm)					
	A	A1	a	b	c	d
75	75	114	140	65	250	200
100	100	136	180	75	295	220
150	150	190	239	90	420	302
225	225	283	317	108	535	405
300	300	360	375	105	670	510



S.L. BS437 Disconnecting trap

S.L. BS437 狗頭隔氣


Specification 規格	Dimensions 尺寸 (mm)			
	a	b	c	d
100x100	233	320	310	100
150x100	230	440	357	100
225x150	425	600	440	150
300x150	535	670	505	150



S.L. BS4622 95°三叉

S.L. BS4622 95° tee


Specification 規格	Dimensions 尺寸 (mm)				
	A	a	c	d	e
300x150	300	548	275	150	260
300x225	300	588	300	225	315
300x300	300	670	343	300	302
350x100	350	550	278	100	306
350x150	350	550	282	150	321
350x200	350	580	294	200	327
350x350	350	730	360	350	357
375x100	375	550	279	100	318
375x150	375	550	284	150	333
375x225	375	580	304	225	341
375x250	375	580	309	250	347
375x300	375	680	337	300	3562
375x375	375	730	376	375	376
450x225	450	580	307	225	380



S.L. BS4622 45°三叉

S.L. BS4622 45° tee


Specification 規格	Dimensions 尺寸 (mm)				
	A	a	c	d	e
350x200	350	700	544	200	567
350x250	350	850	605	250	580
400x100	400	550	502	100	500
400x300	400	850	647	300	652
450x150	450	550	533	150	564
450x300	450	850	663	300	689



S.L. BS4622 95° 邊

S.L. BS4622 95° bend

Specification 規格	Dimensions 尺寸 (mm)		
	A	a	b
300	300	310	310
350	350	357	357
375	375	376	376
400	400	390	390
450	450	415	415
500	500	440	440




Drawings are not drawn to scale. Please refer to actual products for design and dimensions. Dimensions other than listed can be custom made.
繪圖及尺寸只供參考，以實物為準；產品可按需要訂造。

S.L. BS4622 45° 邊

S.L. BS4622 45° bend


Specification 規格	Dimensions 尺寸 (mm)		
	A	a	b
300	300	206	206
350	350	237	237
375	375	250	250
400	400	257	257
450	450	270	270



S.L. BS4622 梳杰

S.L. BS4622 socket


Specification 規格	Dimensions 尺寸 (mm)	
	a	b
300	300	215
350	350	227
375	375	231
400	400	231
450	450	235



S.L. BS4622 刁士

S.L. BS4622 reducer


Specification 規格	Dimensions 尺寸 (mm)		
	a	b	c
300x150	150	300	250
300x225	225	300	260
350x150	150	350	250
350x300	300	350	265
375x300	300	375	265
400x250	250	400	262
450x150	150	450	250
450x300	300	450	265



S.L. BS4622 有掩短垆

S.L. BS4622 inspection pipe with access door

Specification 規格	Dimensions 尺寸 (mm)	
	A	a
300	300	450
350	350	550
375	375	550
400	400	550
450	450	550




Drawings are not drawn to scale. Please refer to actual products for design and dimensions. 圖面及尺寸只供參考，以實物為準；產品可按需要訂造。

S.L. BS416 圓平面 / 高帽梳冷斗 (附腊線)


S.L. BS416 RAINWATER OUTLET with CIRCULAR FLAT / DOME GRATING

Grating Options 梳冷面


Flat 平面
(cast iron 生鐵/
stainless steel 不銹鋼)



Dome 高帽
(cast iron 生鐵/
stainless steel 不銹鋼)




Dome with hook and strainer basket 高帽配勾及疏水籃



Specification 規格	Dimensions 尺寸 (mm)								
	Flat 平面			Dome 高帽			Dome with hook and strainer basket 高帽配勾及疏水籃		
	e	T1*	S	f	T2*	H1	sb1	sb2	H2
75	125	8	10	125	8	53	60	90	60
100	150	9	10	150	9	65	90	120	80
150	240	10	11	240	10	109	138	178	100

*thickness of stainless steel grating may differ from cast iron 不銹鋼梳冷面厚度與生鐵不同

Cast Iron Body 生鐵底座



Specification 規格	Dimensions 尺寸 (mm)				
	a	b	c	d	H*
75	75	85	130	175	250
100	100	110	154	205	250
150	150	160	245	300	250

*height can be tailored


Drawings are not drawn to scale. Please refer to actual products for design and dimensions. Dimensions other than listed can be custom made.
繪圖及尺寸只供參考，以實物為準；產品可按需要訂造。

S.L. BS416 垃圾鏟曲尺 / 拱面去水斗 (附腊線)


S.L. BS416 VERTICAL RAINWATER OUTLET with ELBOW / SLANT GRATING

Grating Options 梳冷面

Elbow 曲尺
(cast iron 生鐵/
stainless steel 不銹鋼)




Slant 拱面
(cast iron 生鐵/
stainless steel 不銹鋼)



Specification 規格	Dimensions 尺寸 (mm)				
	gh	gw1	gw2	gd	T*
75	130	179	173	124	8
100	130	179	173	124	8
150	160	212	210	150	9

*thickness of stainless steel grating may differ from cast iron 不銹鋼梳冷面厚度與生鐵不同

Cast Iron Body 生鐵底座




Specification 規格	Dimensions 尺寸 (mm)				
	a	b	c	d	L*
75	162	163	230	162	300
100	162	163	230	162	300
150	200	293	260	215	300

*length can be tailored

S.L. Cast Iron Double Seal (storm / foul water)



S.L. 生鐵雙止口清水/污水沙井蓋



Product code	A (mm)	B (mm)	C (mm)	H (mm)
CIDS290-45	290x290	422x422	461x461	45
CIDS290-100	290x290	448x448	460x460	100
CIDS300-80	300x300	426x426	560x560	80
CIDS350-45	350x350	484x484	553x553	45
CIDS350-125	350x350	508x508	610x610	125
CIDS450-45	450x450	585x585	655x655	45
CIDS450-100	450x450	605x605	795x795	100
CIDS450-125	450x450	615x615	810x810	125
CIDS550-45	550x550	680x680	750x750	45
CIDS550-65	550x550	680x680	750x750	65
CIDS550-100	550x550	710x710	840x840	100
CIDS550-125	550x550	715x715	862x862	125
CIDS550-150	550x550	715x715	860x860	150
CIDS600-100	600x600	755x755	900x900	100
CIDS600-150	600x600	740x740	975x975	150
CIDS600X450-45	600X450	740x592	802x652	45
CIDS600-65	600x600	734x734	802x802	65
CIDS675-65	675x675	802x802	887x887	65
CIDS675-100	675x675	812x812	925x925	100
CIDS675-150	675x675	827x827	955x955	150
CIDS700-100	700x700	850x850	985x985	100
CIDS750-100	750x750	893x893	1042x1042	100
CIDS750-150	750x750	891x891	1040x1040	150
CIDS800-65	800x800	932x932	1018x1018	65
CIDS800-150	800x800	960x960	1100x1100	150
CIDS800x600-100	800x600	941x743	1070x872	100
CIDS800x600-150	800x600	966x776	1135x935	150
CIDS900-100	900x900	1060x1060	1206x1206	100
CIDS900x750-100	900x750	1050x901	1168x1017	100
CIDS900x750-150	900x750	1065x921	1234x1085	150
CIATC600	600x600	680x680	745x745	100
CIE&M600	600x600	680x680	745x745	100

S.L. Cast Iron Double triangular (storm / foul water)


S.L. 生鐵雙三角清水/污水沙井蓋




Product code	A (mm)	B (mm)	C (mm)	H (mm)
CIDT550-125	550x550	580x580	755x755	125
CIDT550-150	550x550	580x580	810x810	150
CIDT675-150	675x675	695x695	950x950	150
CIDT900x750-160	900x750	872x738	1152x999	160

S.L. Ductile Iron Double Seal (storm / foul water)


S.L. 球鐵雙止口清水/污水沙井蓋



STORM WATER 清水




FOUL WATER 污水




Product code	A (mm)	B (mm)	C (mm)	H (mm)
DS550-100	550 x 550	680 x 680	800 x 800	100
DS600/800-100	600 x 800	705 x 905	830 x 1036	100
DS675-150	675 x 675	830 x 830	980 x 980	150

S.L. Ductile Iron Double Seal (storm / foul water)


S.L. 球鐵雙止口清水/污水沙井 – DS 1088 / DS 1089



STORM WATER 清水




FOUL WATER 污水



Product code	A (mm)	B (mm)	C (mm)	H (mm)
DS675-88	675 x 675	810 x 810	1005 x 1005	88
DS675-102	675 x 675	840 x 840	1035 x 1035	102

S.L. Ductile Iron Double triangular (storm / foul water)


S.L. 球鐵雙三角清水/污水沙井蓋



Product code	A (mm)	B (mm)	C (mm)	H (mm)
DT550-125	550x550	580x580	755x755	125
DT550-150	550x550	580x580	810x810	150
DT675-150	675x675	695x695	950x950	150
DT900x750-160	900x750	872x738	1152x999	160


S.L. Ductile Iron Double triangular (storm / foul water) – DS 1077A

S.L. 球鐵雙三角清水/污水沙井蓋 – DS1077A



FOUL WATER 污水

STORM WATER 清水




Product code	A (mm)	B (mm)	C (mm)	H (mm)
DT675-150A	675x675	675x675	875x875	150

梳冷渠蓋 CHANNEL GRATINGS

S.L. Cast iron channel gratings (general)

S.L. 生鐵排骨梳冷




S.L. Cast iron channel gratings
(barrier-free access)

S.L. 生鐵梳冷(無障礙通道)



S.L. Cast iron square hole channel gratings

S.L. 生鐵方格梳冷 (20x20 squares 方格)



梳冷渠蓋 CHANNEL GRATINGS

S.L. Cast iron channel gratings (general)


S.L. 生鐵排骨梳冷

Reference dimensions 參考尺寸

L (mm)	W (mm)	THK (mm)	Seal (mm)	Rib (mm)	Slot (mm)
600	200	12	25	13	12
		20	25	15	15
		25	25	20	20
		40	38	25	25
600	225	12	38	13	12
		20	38	15	15
		40	38	25	25
		50	38	25	25
600	250	12	38	13	12
		20	38	15	15
		40	38	25	25
		50	38	25	25
600	275	12	38	13	12
		20	38	15	15
		25	38	20	20
		40	38	25	25
		50	38	25	25
600	300	12	38	13	12
		20	38	15	15
		25	38	20	20
		40	38	25	25
		50	38	25	25
600	325	12	38	13	12
		20	38	15	15
		25	38	20	20
		40	38	25	25
		50	38	25	25
600	350	12	38	13	12
		20	38	15	15
		25	38	20	20
		40	38	25	25
		50	38	25	25
600	400	12	38	13	12
		20	38	15	15
		25	38	20	20
		40	38	25	25
		50	38	25	25

S.L. 馬路雙三角梳冷蓋


S.L. Double triangular gully gratings and frames



	A (mm)	B (mm)	C (mm)	D (mm)	H (mm)
三邊 Adjacent to kerb	525	517	432	670	100
四邊 Away from kerb	585	517	432	670	100

S.L. 有較渠藍 / 密蓋

S.L. Hinged gratings with frames



A1 x A2 (mm)	B1 x B2 (mm)	H (mm)
210 x 210	150 x 150	25 / 45 / 50
290 x 290	225 x 225	25 / 45 / 50
370 x 370	300 x 300	25 / 45 / 50

Contact Us



info@channel-win.com.hk



(852) 2384 8990
(852) 2785 8789



(852) 2398 7961



Unit C, 20/F., Ford Glory Plaza, 37-39 Wing Hong
Street, Kowloon
九龍長沙灣永康街37-39號福源廣場20樓C室



昌永(香港)有限公司
Channel Win (H.K.) Limited

www.channel-win.com.hk